

```
<?php
```

```
namespace dokuwiki\Parsing;
```

```
use Doku_Handler; use dokuwiki\Parsing\Lexer\Lexer; use dokuwiki\Parsing\ParserMode\Base; use
dokuwiki\Parsing\ParserMode\ModelInterface;
```

```
/* Sets up the Lexer with modes and points it to the Handler * For an intro to the Lexer
see: wiki:parser */ class Parser { / @var Doku_Handler */
```

```
protected $handler;
```

```
/** @var Lexer $lexer */
protected $lexer;
```

```
/** @var ModeInterface[] $modes */
protected $modes = array();
```

```
/** @var bool mode connections may only be set up once */
protected $connected = false;
```

```
/**
 * dokuwiki\Parsing\Doku_Parser constructor.
 *
 * @param Doku_Handler $handler
 */
public function __construct(Doku_Handler $handler) {
    $this->handler = $handler;
}
```

```
/**
 * Adds the base mode and initialized the lexer
 *
 * @param Base $BaseMode
 */
protected function addBaseMode($BaseMode) {
    $this->modes['base'] = $BaseMode;
    if(!$this->lexer) {
        $this->lexer = new Lexer($this->handler, 'base', true);
    }
    $this->modes['base']->Lexer = $this->lexer;
}
```

```
/**
 * Add a new syntax element (mode) to the parser
 *
 * PHP preserves order of associative elements
 * Mode sequence is important
 *
 * @param string $name
 * @param ModeInterface $Mode
```

```
*/  
public function addMode($name, ModeInterface $Mode) {  
    if(!isset($this->modes['base'])) {  
        $this->addBaseMode(new Base());  
    }  
    $Mode->Lexer = $this->lexer; // FIXME should be done by setter  
    $this->modes[$name] = $Mode;  
}
```

```
/**  
 * Connect all modes with each other  
 *  
 * This is the last step before actually parsing.  
 */  
protected function connectModes() {
```

```
    if($this->connected) {  
        return;  
    }
```

```
    foreach(array_keys($this->modes) as $mode) {  
        // Base isn't connected to anything  
        if($mode == 'base') {  
            continue;  
        }  
        $this->modes[$mode]->preConnect();
```

```
        foreach(array_keys($this->modes) as $cm) {
```

```
            if($this->modes[$cm]->accepts($mode)) {  
                $this->modes[$mode]->connectTo($cm);  
            }
```

```
        }
```

```
        $this->modes[$mode]->postConnect();  
    }
```

```
    $this->connected = true;  
}
```

```
/**  
 * Parses wiki syntax to instructions  
 *  
 * @param string $doc the wiki syntax text  
 * @return array instructions  
 */  
public function parse($doc) {  
    $this->connectModes();
```

```
// Normalize CRs and pad doc
$doc = "\n" . str_replace("\r\n", "\n", $doc) . "\n";
$this->lexer->parse($doc);
```

```
if (!method_exists($this->handler, 'finalize')) {
    /** @deprecated 2019-10 we have a legacy handler from a plugin,
    assume legacy _finalize exists */
```

```
    \dokuwiki\Debug\DebugHelper::dbgCustomDeprecationEvent(
        'finalize()',
        get_class($this->handler) . '::_finalize()',
        __METHOD__,
        __FILE__,
        __LINE__
    );
    $this->handler->_finalize();
} else {
    $this->handler->finalize();
}
return $this->handler->calls;
}
```

```
}
```

From:
<http://git.wwooss.ru/> - worldwide open-source software

Permanent link:
<http://git.wwooss.ru/doku.php?id=wiki:xref:dokuwiki:inc:parsing:parser.php&rev=1684170792>

Last update: **2023/05/15 20:13**

